Dart Aerospace Ltd. Monday, 11/19/2007 4:05:08 PM Kim Johnston User: **Process Sheet** : CABIN FLOOR PROTECTOR Customer : CU-DAR001 Dart Helicopters Services **Drawing Name** Job Number : 35864 **Estimate Number** : 12764 : D35743 Part Number P.O. Number · D3574 REV.A **Drawing Number** This Issue : N/A Prsht Rev. Project Number : SMALL /MED FAB **Drawing Revision** First Issue Material **Previous Run** Qty: : 12/5/2007 3 Um: Due Date Written By Checked & Approved By New Issue 07-01-22 EC Comment **Additional Product** Job Number: Description: Seq. #: 1.0 F60029 lexan grey 96.0000 sf(s) Comment: Qtv.: Total: 32.0000 sf(s)/Unit F60029 lexan sheet Batch: 1053360 WATER JET 2.0 Comment: FLOW WATER JET 1-Cut as per Dwg D3574 限の一リーシュ Dwg Rev: A Prog Rev: _____ 2-Deburr if necessary 3.0 QC2 图 07-11-22 Comment: INSPECT PARTS AS THEY COME OFF MACHINE

Comment: SECOND CHECK 5.0 SMALL FAB 1

QC8

SMALL & MEDIUM FAB RESOURCE 1

SECOND CHECK

Comment: SMALL & MEDIUM FAB RESOURCE 1

Deburr if necessary.

SAD A-11-24

Each

4.0

Dart Aerospace Ltd

| W/O: | | WORK ORDER CHA | NGES | | | | |
|---------|------|------------------------|------------|--------------|-------------|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | В | / Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | - | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Part No | • | PAR #: Fault Category: | NCR: Y | es No DQ | A: <u>A</u> | Date: 🖸 | 11/27 |
| | | | Q | A: N/C Close | d: | _ Date: _ | |
| | 1 | WORK ORDER NON CONFOR | DRAANOE /N | CD) | | | |

| NCR: WORK ORDER NON-CONFORMANCE (NCR) | | | | | | | | |
|---------------------------------------|------|-------------------|---|------------------------------|----------------|-----------|-----------|--------------|
| | | Description of NC | Description of NC Corrective Action Section B | | Verification | Approval | Approval | |
| DATE | STEP | Section A | Initial Chief Eng | Action Description Chief Eng | Sign & Date | Section C | Chief Eng | QC Inspector |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | · | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries

Date: Monday, 11/19/2007 4:05:08 PM User: "Kim Johnston **Process Sheet** Drawing Name: CABIN FLOOR PROTECTOR Customer: CU-DAR001 Dart Helicopters Services Job Number: 35864 Part Number: D35743 Job Number: Description: Seq. #: **Machine Or Operation:** INSPECT WORK TO CURRENT STEP 6.0 QC5 Comment: INSPECT WORK TO CURRENT STEP PACKAGING RESOURCE #1 7.0 Comment: PACKAGING RESOURCE #1 Identify with P/N and B/N using a permanent fine point marker, then Stock Location: FINAL INSPECTION/W/O RELEASE 8.0 QC21 Comment: FINAL INSPECTION/W/O RELEASE Job Completion a Duliet

Dart Aerospace Ltd


| | . Johnson Lin | | | | | | | | |
|---------|---------------|--------|--------------------|----------|--------|-----------|------------|-------------------------------|--------------------------|
| W/O: | · | | WORK ORDER | CHANGES | | | | | |
| DATE | STEP | · PRO | OCEDURE CHANGE | | Ву | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | | | |
| | | | | | | | | | |
| <u></u> | | | | | | | | | |
| | | | | , | | | | | |
| | | | | | | | | | |
| Part No | : | PAR #: | Fault Category: | NCR | l: Yes | No DQ | A : | _ Date: _ | |
| | | | | | QA: | N/C Close | d: | Date: _ | |
| NCR: | | | WORK ORDER NON-COM | FORMANCE | (NC | R) | | | |
| | | | | | | | | | T |

| NCR: WORK ORDER NON-CONFORMANCE (NCR) | | | | | | | |
|---------------------------------------|-------------------|-----------------------------|--|---|--|---|---|
| | Description of NC | Corrective Action Section B | | | | Annroyal | Annroval |
| DATE STEP | Section A | Initial Chief Eng | Action Description Chief Eng | Sign & Date | Section C | Chief Eng | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | ; | | | |
| | | | | - | | | |
| | | | | | | | |
| | · | | | | | | |
| - | | | | | | | |
| | STEP | STEP Description of NC | STEP Description of NC Section A Initial | STEP Description of NC Section A Initial Action Description | STEP Description of NC Section A Initial Action Description Sign & | STEP Section A Initial Action Description Sign & Verification Section C | STEP Description of NC Section A Initial Action Description Sign & Verification Section C Chief Eng |

NOTE: Date & initial all entries



| DESIG | <u>*</u> | DRAWN BY | DART AEROSPACE HAWKESBURY, ONTARIO, CANA | |
|-------|----------|------------|---|--------------|
| CHEC | KED | APPROVED A | DRAWING NO. | REV. A |
| 16 | | | D3574 | SHEET 1 OF 5 |
| DATE | | | TITLE | SCALE |
| 07.0 | 06.08 | | CABIN FLOOR PROTECTOR | 1:14 |
| T A | | 07.06.08 | NEW ISSUE | |



D3574-1 CABIN FLOOR PROTECTOR (SHOWN), D3574-2 (OPPOSITE)

UNCONTROLLED COTY UNCONTRUCTION
UNCONTRUCTION
UNCONTRUCTION
UNCONTRUCTION
UNCONTRUCTION
UNCONTRUCTION
SUBJECT TO AMENDMEN
TEXTURED SIDE UP (REF DART SPEC MLEXS.125—F60029—04)
2) FINISH: NOME

SHOP COPY

RETURN TO

ENGINEERING

2) FINISH: NONE


3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED


- 4) IDENTIFY WITH DART P/N "D3574-1/-2" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8961

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.








NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 竹叶CK; TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-3" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8962

Copyright @ 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.







D3574-4 CABIN FLOOR PROTECTOR


NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-4" USING FINE POINT PERMANENT INK ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- CHECK PER TEMPLATE DT8963

Copyright @ 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.








NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-5" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8964

Copyright @ 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.







D3574-6 CABIN FLOOR PROTECTOR

NOTES:

1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)

NO.3

- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-6" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8965

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

| DART AEROSPACE LTD | Work Order: | 35864 |
|------------------------------------|--------------|-------------|
| Description: CABIN FLOOR PROTECTOR | Part Number: | D3574-3 |
| Inspection Dwg: D3574-3 Rev: A | | Page 1 of 1 |

| | 1 | | | | | |
|----------------------|-----------|---------------------|-------------|--------|---------------------------------------|---|
| Drawing Dimension | Tolerance | Actual Dimension | Accept | Reject | Method of Inspection | |
| Ø 1.13 | 1004-001 | 1,135 | × | | | |
| Ø 3.00 | 1006-001 | 3,009 | * | | | |
| ⊅.∞ | 4/030 | 00.C | ¥ | | | |
| 7.37 | 4022 | 7,37 | × | | | 1 |
| 11.00 | 4- 030 | 11.00 | × | | | |
| 26.21 | 4/020 | 15.25 | × | | VIII. | |
| 02.71 | th 030 | 17,50 | × | | | |
| 78.2C | 4- 030 | 25.87 | علا | | | |
| 34.94 | 4- 620 | 34,94 | هلا | | | |
| 29.75 | 4- 630 | 34,75 | 2 | | | |
| 44.75 | 4030 | 44.75 | يخ | | | |
| 50,87 | 4-030 | 50.87 | ¥ | | | |
| \$8,38 | 4030 | | × | | | |
| 61.75 | 4020 | 61.24 | | | | |
| 63.43 | +/020 | 63,43 | | | | |
| 63.50 | 4030 | 6350 | | | · · · · · · · · · · · · · · · · · · · | |
| 26.23 | 4036 | 65.24 | | | | |
| | | | | | · · · · · · · · · · · · · · · · · · · | |
| | | | | | | - |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | · | | - | | | |
| | | | | | | |

| Measured by: tB | Audited by: | مل | Prototype Approval: | رن | 7 | |
|-----------------|-------------|---------|---------------------|----|---|---|
| Date: 07-11-32 | Date: | 02/4/20 | Date: | / | / | |
| D | | | | | 4 | · |

| Rev Date | Change | Revised by | Approved |
|----------|-----------|------------|----------|
| _ A | New Issue | KJ/JLM | |



| DART AEROSPACE LTD | Work Order: | 35864 |
|------------------------------------|--------------|-------------|
| Description: CABIN Floor PROTECTOR | Part Number: | 03574-3 |
| Inspection Dwg: 03574-3 Rev: | | Page 1 of 1 |

| Drawing Dimension | Tolerance | Actual Dimension | Accept | Reject | Method of Inspection | |
|----------------------|-----------|---------------------|--------|--------|-------------------------|---|
| 1,25 | 4-030 | 1.75 | × | | | |
| 7.50 | 4030 | 7.50 | * | | | |
| 11.87 | 4030 | 11.87 | * | | | |
| 14.75 | 4 .030 | 14.75 | 4 | | | |
| 26.66 | 4- 030 | 26.00 | K | | | ٧ |
| 34.18 | 4030 | 34.18 | X | | | |
| 40.87 | 4030 | 40.87 | ځ | | | |
| 45.00 | 4030 | 45.00 | 4 | | | |
| 48.00 | 7030 | 48 00 | * | | | |
| 55.13 | 730 | SSIB | ید | | | |
| 29.90 | 4 .030 | - - | علا | | | |
| 25.72 | 4020 | 59,75 | ¥ | | | |
| | t/030 | 61.25 | مد | | | |
| | 7-030 | 61.88 | * | | | |
| 64,63 | 4030 | 64.63 | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| Measured by: UB | Audited by: | d | Prototype Approval: | al. | |
|-----------------|-------------|-------|---------------------|-----|--|
| Date: 07-11~22 | Date: | Aulor | Date: | 19 | |
| | | | | | |

| Rev | Date | Change | Revised by | Approved |
|-----|------|-----------|------------|----------|
| | | New Issue | KJ/JLM | |



| DART AEROSPACE LTD | Work Order: | 35864 |
|------------------------------------|--------------|-------------|
| Description: CABIN FLOOR PROTECTOR | Part Number: | D3574-3 |
| Inspection Dwg: D3S74 - Rev: | | Page 1 of 1 |

| | | | | | * * | |
|----------------------|-----------|---------------------|--------|--------|-------------------------|----------|
| Drawing Dimension | Tolerance | Actual Dimension | Accept | Reject | Method of Inspection | Comments |
| 3,19 | 4- ,030 | 3.19 | * | | | |
| 7.63 | 4- 22 | 7.63 | * | | | |
| 8.13 | 4620 | 8.13 | * | | | |
| 11.06 | 4/030 | 11.00 | ¥ | | | |
| 14.50 | 4030 | 14.50 | ¥ | | | |
| 15.75 | 4030 | 15.75 | x | | | · |
| 18.13 | 4030 | 18.3 | ¥ | - | | |
| 27.20 | 4030 | વ્યે. ૯૬ | * | | | |
| 26.2¢ | 4030 | 35,2 | × | | | |
| 30.75 | 4/030 | 30,75 | × | | | |
| 34.66 | 1/030 | 34.00 | × | | | |
| 35,13 | 4/030 | 35,13 | ¥ | | : | |
| 36.50 | t/030 | | ہے | | | |
| 40.06 | 4/030 | | × | | | |
| 41.50 | t/030 | 41.80 | x | | | |
| 41.88 | 4030 | 41.88 | × | | | |
| 43.63 | t/030 | | ید | | | |
| 44.60 | t/036 | 44.60 | ہے | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| | | | $\overline{}$ | | | - |
|--------------|----------|-------------|---------------|---------------------|-------------|---|
| Measured by: | HB. | Audited by: | 7 | Prototype Approval: | a/ | |
| Date: | 47-11-92 | Date: | 26/12 | Date: | 19 | |
| | | | | | | |

| Rev Date | | | |
|----------|------------|------------|----------|
| Rev Date | Change | Revised by | Approved |
| Α | New Issue | | Approved |
| <u> </u> | ivew issue | KJ/JLM | l i |



| DART REROSPACE LTD | Work Order: | 35864 |
|------------------------------------|--------------|-------------|
| Description: CABIN FLOOR PROTECTOR | Part Number: | 03574-3 |
| Inspection Dwg:) 35 14 - Rev: A | | Page 1 of 1 |

| Drawing Dimension | Tolerance | Actual Dimension | Accept | Reject | Method of Inspection | Commente |
|----------------------|-----------|---------------------|--------|--------|-------------------------|----------|
| 3,63 | 4030 | 3,63 | ¥ | | | |
| 5,94 | 4030 | 5.94 | ж | | | |
| 6.75 | 4030 | 6.75 | × | | | |
| 9.50 | 4030 | 9.50 | × | | | , |
| 10.38 | 4030 | 10,38 | X | | | |
| 14.50 | 4/030 | 14.50 | X | | | |
| 16.75 | 4/030 | 16.75 | X | | | |
| 18.94 | 1/030 | 18.94 | X | | | |
| 00.19 | 4030 | 19.00 | يد | | | |
| 24-13 | 4030 | 24.13 | × | | | |
| 33.88 | 4/030 | 33.88 | * | | | |
| 35.75 | +/030 | 35.75 | * | | | |
| 36.19 | +1030 | 36.9 | ¥ | | | |
| | tl030 | 39.50 | * | | | |
| (- 0 - 0 - 1 | 4030 | 40.25 | * | | | |
| | 4/030 | | * | | | |
| 43.96 | +/030 | 43.96 | | | | · - |
| 46.60 | 4/030 | • | * | | | |
| | | | | | | ^ |
| | | | | - | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| Measured by: B | Audited by: | Prototype Approval: | |
|----------------|-------------|---------------------|--|
| Date: 07- | 11-22 Date: | Date: | |
| | | | |

| Rev | 13-5- | OL | | |
|-----|-------|-----------|------------|----------|
| Hev | Jate | Change | Revised by | Approved |
| ΛΙ | | Now Inc. | | 1100.000 |
| | | New Issue | KJ/JLM | i i |
| | | | 707012111 | 1 1 |

